```
=> d his

     (FILE 'HOME' ENTERED AT 09:55:33 ON 14 APR 2005)

     FILE 'REGISTRY' ENTERED AT 09:56:44 ON 14 APR 2005
L1              STR
L2              STR L1
L3          0 S L1 OR L2
L4          0 S L1
L5              STR L1
L6          0 S L5
L7              STR L2
L8          0 S L7
L9              STR L7
L10         0 S L9
L11             STR L9
L12         0 S L11
L13             STR L11
L14         0 S L13
L15             STR L13
L16         1 S L15
L17         0 S L5 OR L13
L18         0 S L5 OR L15
L19             STR L15
L20         0 S L19
L21         0 S L5 OR L15 OR L19
L22        47 S L5 OR L15 OR L19 FUL

     FILE 'BEILSTEIN' ENTERED AT 10:40:17 ON 14 APR 2005
L23         1 S L5 OR L15 OR L19 FUL

=> d sia l5
L5 HAS NO ANSWERS
L5              STR

@17
   C===G2===N
   M1  18  19
```



```
VAR G1=C/S
REP G2=(0-1) C
VPA 17-15/10/11/12 U
NODE ATTRIBUTES:
HCOUNT  IS M1     AT   17
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED
```

GRAPH ATTRIBUTES:
RSPEC 13
NUMBER OF NODES IS 19

STEREO ATTRIBUTES: NONE


=> d sia l15
L15 HAS NO ANSWERS
L15                 STR

        N @19





VPA 19-15/10/11/12 SE
NODE ATTRIBUTES:
NSPEC   IS C       AT 19
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RSPEC 13
NUMBER OF NODES IS 17

STEREO ATTRIBUTES: NONE


=> d sia l19
L19 HAS NO ANSWERS
L19                 STR

        N @19

```
VAR G1=C/S
VPA 19-15/10/11/12 SE
NODE ATTRIBUTES:
NSPEC    IS C       AT  19
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RSPEC  13
NUMBER OF NODES IS  16

STEREO ATTRIBUTES: NONE


=>
```